## **SAFETY DATA SHEET**



ISO MAINTAMER Two-Step Straightening System - Step 2

### **Section 1. Identification**

Product Name : ISO MAINTAMER Two-Step Straightening System - Step 2

Other means of : Not available. identification

Recommended use : Hair Care Product

**Restrictions on use** : Use only as directed on the product label.

Manufacturer : Zotos International, INC

100 Tokeneke Road, Darien, CT 06820 www.zotos.com

Validation date : 5/14/2015.

<u>In case of emergency</u> : (800) 584-8038 [24 Hours]

**Telephone number** : (203) 656-7859 [8:30 a.m. - 5:00 p.m.]

Transportation Emergency : Contact: CHEMTREC 1-800-424-9300 [US/Canada 24 Hours]

Product type : Liquid.

### Section 2. Hazards identification

### **Emergency overview**

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. Additional information on toxicological endpoints is available from the supplier upon request

OSHA/HCS status : This material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200).

Classification of the : SKIN CORROSION/IRRITATION - Category 1

substance or mixture SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 88.3%

**GHS** label elements

Hazard pictograms :



Signal word : Danger

**Hazard statements** : Causes eye damage.

**Precautionary statements** 

General : Read label before use. Keep out of reach of children. If medical advice is needed,

have product container or label at hand.

Prevention: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash

hands thoroughly after handling.

Response : IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth.

Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER or physician.

Storage : Store locked up.

ISO MAINTAMER Two-Step Straightening System - Step 2

## Section 2. Hazards identification

**Disposal** 

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Hazards not otherwise classified

: None known.

## Section 3. Composition/information on ingredients

Substance/mixture : Mixture

| Name                         | %    | CAS number |
|------------------------------|------|------------|
| hexadecan-1-ol               | 4.00 | 36653-82-4 |
| octadecan-1-ol               | 3.50 | 112-92-5   |
| hydrogen peroxide            | 2.18 | 7722-84-1  |
| decamethylcyclopentasiloxane | 1.30 | 541-02-6   |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact**: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open.

Get medical attention if you feel unwell.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if you feel unwell.

**Skin contact**: Wash the contaminated skin gently and thoroughly with running water and non-abrasive

soap.

**Ingestion** : Call physician immediately. Have conscious person drink several glasses of water or

milk. Do not induce vomiting. Get medical attention.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments**: No specific treatment.

**Protection of first-aiders**: Use suitable protective equipment (section 8). Avoid exposure.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

## Section 5. Fire-fighting measures

# Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds metal oxide/oxides

# Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

# Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

### For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### **Environmental precautions**

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

### Small spill

Large spill

- : Stop leak if without risk. Dilute with water and mop up if water-soluble.
- : Stop leak if without risk. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### **Precautions for safe handling**

**Protective measures** 

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up.

## Section 8. Exposure controls/personal protection

### **United States**

### **Control parameters**

### Occupational exposure limits

| Ingredient name   | Exposure limits  |
|-------------------|--|
| hydrogen peroxide | ACGIH TLV (United States, 4/2014).  TWA: 1 ppm 8 hours.  TWA: 1.4 mg/m³ 8 hours.  OSHA PEL 1989 (United States, 3/1989).  TWA: 1 ppm 8 hours.  TWA: 1.4 mg/m³ 8 hours.  NIOSH REL (United States, 10/2013).  TWA: 1 ppm 10 hours.  TWA: 1.4 mg/m³ 10 hours.  OSHA PEL (United States, 2/2013).  TWA: 1 ppm 8 hours.  TWA: 1.4 mg/m³ 8 hours. |

# Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

# **Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

Hygiene measures

**Hygiene measures** 

: When using do not eat, drink or smoke.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

## Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

### **Body protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

ISO MAINTAMER Two-Step Straightening System - Step 2

## Section 8. Exposure controls/personal protection

**Respiratory protection** 

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Consult local authorities for acceptable exposure limits.

## Section 9. Physical and chemical properties

**Appearance** 

Physical state : Liquid. [Viscous liquid.]

Color : Off-white.

Odor : Characteristic.

**pH** : 3 to 4

**Boiling point** : >100°C (>212°F)

Flash point : Closed cup: Not applicable.

Relative density : 1.004 to 1.01

**Solubility** : Soluble in the following materials: cold water.

## Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability**: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

Hazardous decomposition products

 Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### **United States**

Information on toxicological effects

### **Acute toxicity**

| Product/ingredient name  | Result                              | Species | Dose                                  | Exposure |
|--|-------------------------------------|---------|---------------------------------------|----------|
| hexadecan-1-ol<br>octadecan-1-ol<br>decamethylcyclopentasiloxane | LD50 Oral<br>LD50 Oral<br>LD50 Oral | Rat     | 5 g/kg<br>>5000 mg/kg<br>>24134 mg/kg | -        |

**Irritation/Corrosion** 

## **Section 11. Toxicological information**

| Product/ingredient name      | Result                   | Species    | Score | Exposure      | Observation |
|------------------------------|--------------------------|------------|-------|---------------|-------------|
| hexadecan-1-ol               | Eyes - Mild irritant     | Rabbit     | -     | 82 milligrams | -           |
|                              | Skin - Mild irritant     | Guinea pig | -     | 100 Percent   | -           |
|                              | Skin - Moderate irritant | Guinea pig | -     | 24 hours 100  | -           |
|                              |                          |            |       | milligrams    |             |
|                              | Skin - Mild irritant     | Human      | -     | 72 hours 75   | -           |
|                              |                          |            |       | milligrams    |             |
|                              |                          |            |       | Intermittent  |             |
|                              | Skin - Severe irritant   | Human      | -     | 0.2 Percent   | -           |
|                              | Skin - Mild irritant     | Man        | -     | 48 hours 50   | -           |
|                              |                          |            |       | milligrams    |             |
|                              | Skin - Severe irritant   | Rat        | -     | 24 hours 100  | -           |
|                              |                          |            |       | milligrams    |             |
|                              | Skin - Mild irritant     | Rabbit     | -     | 24 hours      | -           |
|                              |                          |            |       | 2600          |             |
|                              |                          |            |       | milligrams    |             |
|                              | Skin - Severe irritant   | Rabbit     | -     | 24 hours 100  | -           |
|                              |                          |            |       | milligrams    |             |
| octadecan-1-ol               | Eyes - Mild irritant     | Rabbit     | -     | 24 hours 100  | -           |
|                              |                          |            |       | milligrams    |             |
|                              | Skin - Mild irritant     | Rabbit     | -     | 24 hours 500  | -           |
|                              |                          |            |       | milligrams    |             |
|                              | Skin - Mild irritant     | Man        | -     | 48 hours 30   | -           |
| l                            |                          |            |       | Percent       |             |
| hydrogen peroxide            | Eyes - Severe irritant   | Rabbit     | -     | 1 milligrams  | -           |
| decamethylcyclopentasiloxane | Eyes - Mild irritant     | Rabbit     | -     | 24 hours 500  | -           |
|                              | Older Mildlindtent       | D - 1-1-14 |       | milligrams    |             |
|                              | Skin - Mild irritant     | Rabbit     | -     | 24 hours 500  | -           |
|                              |                          |            |       | milligrams    |             |

### **Sensitization**

Not available.

### **Mutagenicity**

Not available.

### **Carcinogenicity**

Not available.

### **Classification**

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| hydrogen peroxide       | -    | 3    | -   |

### **Reproductive toxicity**

Not available.

### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

ISO MAINTAMER Two-Step Straightening System - Step 2

## **Section 11. Toxicological information**

Not available.

Information on the likely

routes of exposure

: Not available.

Potential acute health effects

**Eye contact** : Causes serious eye damage.

**Inhalation** : May give off gas, vapor or dust that is very irritating or corrosive to the respiratory

system. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Skin contact : Causes severe burns.

Ingestion : May cause burns to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

**Skin contact**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

**Ingestion** : Adverse symptoms may include the following:

stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate

effects

: Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
 Carcinogenicity : No known significant effects or critical hazards.
 Mutagenicity : No known significant effects or critical hazards.
 Teratogenicity : No known significant effects or critical hazards.
 Developmental effects : No known significant effects or critical hazards.
 Fertility effects : No known significant effects or critical hazards.

### **Numerical measures of toxicity**

### **Acute toxicity estimates**

| Route | ATE value     |
|-------|---------------|
| Oral  | 14661.2 mg/kg |

## **Section 12. Ecological information**

### **United States**

### **Toxicity**

| Product/ingredient name | Result  | Species  | Exposure            |
|-------------------------|---|--|---------------------|
| hydrogen peroxide       | Acute EC50 1.2 mg/l Marine water                                    | Algae - Dunaliella tertiolecta - Exponential growth phase              | 72 hours            |
|                         | Acute EC50 5.38 mg/l Fresh water                                    | Algae - Pseudokirchneriella subcapitata                                | 96 hours            |
|                         | Acute EC50 2320 μg/l Fresh water                                    | Daphnia - Daphnia magna -<br>Neonate                                   | 48 hours            |
|                         | Acute LC50 93 ppm Fresh water<br>Chronic NOEC 989.7 ppm Fresh water | Fish - Oncorhynchus mykiss<br>Fish - Oncorhynchus<br>tshawytscha - Egg | 96 hours<br>43 days |

### Persistence and degradability

Not available.

### **Bioaccumulative potential**

| Product/ingredient name      | LogPow | BCF  | Potential |
|------------------------------|--------|------|-----------|
| octadecan-1-ol               | 7.4    | -    | high      |
| hydrogen peroxide            | -1.36  | -    | low       |
| decamethylcyclopentasiloxane | 8.023  | 7060 | high      |

### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** 

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

## Section 14. Transport information

| Regulatory information   | UN number      | Proper shipping name | Classes | PG* | Label | Additional information |
|--------------------------|----------------|----------------------|---------|-----|-------|------------------------|
| DOT Classification       | Not regulated. | -                    | -       | -   |       | -                      |
| TDG Classification       | Not regulated. | -                    | -       | -   |       | -                      |
| Mexico<br>Classification | Not regulated. | -                    | -       | -   |       | -                      |
| ADR/RID Class            | Not regulated. | -                    | -       | -   |       | -                      |
| IMDG Class               | Not regulated. | -                    | -       | -   |       | -                      |
| IATA-DGR Class           | Not regulated. | -                    | -       | -   |       | -                      |

PG\* : Packing group

## Section 15. Regulatory information

U.S. Federal regulations

: TSCA 8(a) PAIR: decamethylcyclopentasiloxane; decamethyltetrasiloxane; 2-benzylideneheptanal; 4-(4-hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): Not determined. Clean Water Act (CWA) 311: Phosphoric acid, solution

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

**DEA List I Chemicals** 

(Precursor Chemicals)

Not listed

**DEA List II Chemicals** 

: Not listed

(Essential Chemicals)

### **SARA 302/304**

### Composition/information on ingredients

|                   |      |      | SARA 302 TPQ |           | SARA 304 RQ |           |
|-------------------|------|------|--------------|-----------|-------------|-----------|
| Name              | %    | EHS  | (lbs)        | (gallons) | (lbs)       | (gallons) |
| hydrogen peroxide | 2.18 | Yes. | 1000         | 106.1     | 1000        | 106.1     |

: 45897.4 lbs / 20837.4 kg [3440.4 gal / 13023.4 L] **SARA 304 RQ** 

**SARA 311/312** 

Classification : Immediate (acute) health hazard

#### Composition/information on ingredients

| Name  | %    | Fire<br>hazard            | Sudden<br>release of<br>pressure | Reactive                 | (acute)                      | Delayed<br>(chronic)<br>health<br>hazard |
|---|------|---------------------------|----------------------------------|--------------------------|------------------------------|--|
| hexadecan-1-ol<br>octadecan-1-ol<br>hydrogen peroxide<br>decamethylcyclopentasiloxane | 3.50 | No.<br>No.<br>No.<br>Yes. | No.<br>No.<br>No.                | No.<br>No.<br>No.<br>No. | Yes.<br>Yes.<br>Yes.<br>Yes. | No.<br>No.<br>No.<br>No.                 |

### **State regulations**

**Massachusetts** : The following components are listed: HYDROGEN PEROXIDE

**New York** : The following components are listed: Hydrogen peroxide

The following components are listed: PROPYLENE GLYCOL; 1,2-PROPANEDIOL; **New Jersey** 

HYDROGEN PEROXIDE

**Pennsylvania** : The following components are listed: 1,2-PROPANEDIOL; HYDROGEN PEROXIDE

(CONC > 52 PERCENT)

### California Prop. 65

CALIFORNIA PROPOSITION 65: The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986. This product is not known to the State of California to cause cancer. Not available.

## Section 15. Regulatory information

### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

**UNECE Aarhus Protocol on POPs and Heavy Metals** 

Not listed.

Canada

WHMIS (Canada) : Class D-2B: Material causing other toxic effects (Toxic).

Class E: Corrosive material

**Canadian lists** 

**Canadian NPRI** : None of the components are listed. **CEPA Toxic substances** : None of the components are listed.

Canada inventory : Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### **Mexico**

Classification :



## **Section 16. Other information**

### **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

**National Fire Protection Association (U.S.A.)** 

### Section 16. Other information



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### **History**

Date of printing : 5/14/2015.

Date of issue/Date of : 5/14/2015.

revision

Date of previous issue : No previous validation.

Version : 0.01

References : Not available.

Indicates information that has changed from previously issued version.

### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.