

# Material Safety Data Sheet



Quantum TT Texture on Tint Acid Perm Exclusively for 30 to 40 Volume  
Color-Treated Hair (PURPLE) - Waving Lotion

## 1. Identification of the material and supplier

### Names

- Product name** : Quantum TT Texture on Tint Acid Perm Exclusively for 30 to 40 Volume Color-Treated Hair (PURPLE) - Waving Lotion
- Distributor** : SABRE CORPORATION  
75 South Creek Road  
Dee Why, NSW 2099  
Australia  
Phone: 02-9982-0100
- Manufacturer** : Zotos International, INC  
100 Tokeneke Road,  
Darien, CT 06820  
www.zotos.com
- Emergency telephone number** : 131126

## 2. Hazards identification

- Classification** : Not regulated.
- Risk phrases** : Not classified.
- Statement of hazardous/dangerous nature** : NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.

## 3. Composition/information on ingredients

- Mixture** : Yes.

Ingredient name	CAS number	Concentration
ammonium chloride	12125-02-9	1
Propylene glycol	57-55-6	1
glycerol	56-81-5	1

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

## 4. First aid measures

### First aid measures

- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if you feel unwell.
- Ingestion** : Get medical attention immediately.
- Skin contact** : Wash contaminated skin with soap and water.
- Eye contact** : Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention if you feel unwell.
- Protection of first-aiders** : Use suitable protective equipment (section 8). Avoid exposure.
- Advice to doctor** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

# Quantum TT Texture on Tint Acid Perm Exclusively for 30 to 40 Volume Color-Treated Hair (PURPLE) - Waving Lotion

## 5. Fire-fighting measures

- Extinguishing media** : Extinguish fire using an agent suitable for the surrounding fire.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- In a fire or if heated, a pressure increase will occur and the container may burst.
- Special protective equipment for fire-fighters** : In a fire, decomposition may produce toxic gases/fumes. Wear suitable protective clothing.

## 6. Accidental release measures

- Personal precautions** : Wear protective gloves.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up** : Use a water rinse for final clean-up.

## 7. Handling and storage

- Handling** : Avoid contact with skin and eyes. Store in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10).
- Storage** : Avoid increased storage temperature.

## 8. Exposure controls/personal protection

### Occupational exposure limits

Ingredient name	Exposure limits
ammonium chloride	<b>Safe Work Australia (Australia, 8/2005).</b> STEL: 20 mg/m <sup>3</sup> 15 minute(s). Form: Fume TWA: 10 mg/m <sup>3</sup> 8 hour(s). Form: Fume
Propylene glycol	<b>Safe Work Australia (Australia, 8/2005).</b> TWA: 10 mg/m <sup>3</sup> 8 hour(s). Form: Particulate TWA: 150 ppm 8 hour(s). Form: Vapor and particulates TWA: 474 mg/m <sup>3</sup> 8 hour(s). Form: Vapor and particulates
glycerol	<b>Safe Work Australia (Australia, 8/2005).</b> TWA: 10 mg/m <sup>3</sup> 8 hour(s).

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

### Exposure controls

- Engineering measures** : In case of insufficient ventilation, wear suitable respiratory equipment.
- Hygiene measures** : When using do not eat, drink or smoke.
- Eyes** : Safety glasses.
- Hands** : Wear suitable gloves.
- Respiratory** : In case of insufficient ventilation, wear suitable respiratory equipment.
- Skin** : Wear suitable protective clothing.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and chemical properties

- Physical state** : Liquid. [Viscous liquid.]
- Color** : Off-white.
- Odor** : Characteristic.Fragrant.
- Boiling point** : >100°C (>212°F)
- Relative density** : 1.01 to 1.1
- Density** : 1.1 to 2.1 g/cm<sup>3</sup>

# Quantum TT Texture on Tint Acid Perm Exclusively for 30 to 40 Volume Color-Treated Hair (PURPLE) - Waving Lotion

## 9. Physical and chemical properties

**Flash point** : Closed cup: Not applicable.  
**pH** : 9.6 to 10.2  
**Flame duration** : Not applicable.

## 10. Stability and reactivity

**Chemical stability** : Stable under recommended storage and handling conditions (see section 7).  
**Possibility of hazardous reactions** : Not available.  
**Conditions to avoid** : No specific data.  
**Materials to avoid** : Do not mix in metal bowl  
**Hazardous decomposition products** : Ammonia. sulfur oxides

## 11. Toxicological information

### Potential acute health effects

**Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.  
**Ingestion** : No known significant effects or critical hazards.  
**Skin contact** : No known significant effects or critical hazards.  
**Eye contact** : No known significant effects or critical hazards.

### Acute toxicity

Product/ingredient name	Result	Dose	Exposure
ammonium chloride	LD50 Oral	1650 mg/kg	-
Propylene glycol	LD50 Dermal	20800 mg/kg	-
	LD50 Oral	20 g/kg	-
glycerol	LD50 Oral	12600 mg/kg	-

**Conclusion/Summary** : Not available.

### Potential chronic health effects

#### Chronic toxicity

**Conclusion/Summary** : Not available.

#### Irritation/Corrosion

Product/ingredient name	Result	Score	Exposure	Observation
ammonium chloride	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Eyes - Severe irritant	-	100 milligrams	-
Propylene glycol	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	-	100 milligrams	-
	Skin - Moderate irritant	-	96 hours 30 Percent continuous	-
	Skin - Mild irritant	-	168 hours 500 milligrams	-
glycerol	Skin - Moderate irritant	-	72 hours 104 milligrams Intermittent	-
	Skin - Mild irritant	-	96 hours 30 Percent	-
	Eyes - Mild irritant	-	24 hours 500 milligrams	-
	Skin - Mild irritant	-	24 hours 500 milligrams	-

**Conclusion/Summary** : Not available.

#### Sensitizer

## 11. Toxicological information

<b>Conclusion/Summary</b>	: Not available.
<b><u>Carcinogenicity</u></b>	
<b>Conclusion/Summary</b>	: Not available.
<b><u>Mutagenicity</u></b>	
<b>Conclusion/Summary</b>	: Not available.
<b><u>Teratogenicity</u></b>	
<b>Conclusion/Summary</b>	: Not available.
<b><u>Reproductive toxicity</u></b>	
<b>Conclusion/Summary</b>	: Not available.
<b>Chronic effects</b>	: No known significant effects or critical hazards.
<b>Carcinogenicity</b>	: No known significant effects or critical hazards.
<b>Mutagenicity</b>	: No known significant effects or critical hazards.
<b>Teratogenicity</b>	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
<b>Fertility effects</b>	: No known significant effects or critical hazards.
<b><u>Over-exposure signs/symptoms</u></b>	
<b>Inhalation</b>	: No specific data.
<b>Ingestion</b>	: No specific data.
<b>Skin</b>	: No specific data.
<b>Eyes</b>	: No specific data.
<b>Target organs</b>	: Contains material which may cause damage to the following organs: kidneys, lungs, the nervous system, upper respiratory tract, skin, eye, lens or cornea.

## 12. Ecological information

**THE FOLLOWING DATA IN THIS SECTION IS SOURCED FROM PUBLICLY AVAILABLE DATABASES AND NOT THE REPRESENTATION OF ANY DATA COLLECTED BY ZOTOS INTERNATIONAL OR ITS AFFILIATES.**

**Ecotoxicity** : No known significant effects or critical hazards.

### Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
ammonium chloride	Acute EC50 0.07 mg/L Marine water	Algae - Hormosira banksii - Gamete	72 hours
	Acute LC50 20 ug/L Fresh water	Crustaceans - Macrobrachium rosenbergii - Post-larvae - 9.6 mm - 12.9 mg	48 hours
	Acute LC50 390 ug/L Fresh water	Daphnia - Daphnia magna - Young	48 hours
	Acute LC50 80 ug/L Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 330 ug/L Fresh water	Crustaceans - Crangonyx sp. - Juvenile (Fledgling, Hatchling, Weanling) - 8 to 42 days	21 days
	Chronic NOEC 19.66 mg/L Fresh water	Daphnia - Daphnia magna - <24 hours	21 days
Propylene glycol	Chronic NOEC 0.006 mg/L Fresh water	Fish - Ictalurus punctatus - Fry - 10 weeks	30 days
	Acute EC50 >1000 mg/L Fresh water	Daphnia - Daphnia magna - <24 hours	48 hours
	Acute LC50 1020000 ug/L Fresh water	Crustaceans - Ceriodaphnia dubia - <24 hours	48 hours
glycerol	Acute LC50 710000 ug/L Fresh water	Fish - Pimephales promelas - <=7 days	96 hours
	Acute LC50 54 ml/L Fresh water	Fish - Oncorhynchus mykiss - 0.9 g	96 hours

**Conclusion/Summary** : Not available.

### Other ecological information

#### Persistence/degradability

**Conclusion/Summary** : Not available.

## 12. Ecological information

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
Propylene glycol	-0.92	-	low
glycerol	-1.76	-	low

**Other adverse effects** : No known significant effects or critical hazards.

## 13. Disposal considerations

**Methods of disposal** : Dispose of according to all federal, state and local applicable regulations.

## 14. Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
<b>ADG</b>	Not regulated.	-	-	-		-
<b>ADR</b>	Not regulated.	-	-	-		-
<b>IMDG</b>	Not regulated.	-	-	-		-
<b>IATA</b>	Not regulated.	-	-	-		-

PG\* : Packing group

## 15. Regulatory information

### Standard for the Uniform Scheduling of Drugs and Poisons

Not regulated.

### Control of Scheduled Carcinogenic Substances

Not available.

No listed substance

**Australia inventory (AICS)** : All components are listed or exempted.

## 16. Other information

**Date of issue** : 7/25/2012.

### Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.