Material Safety Data Sheet

Senscience Silk Finish 55% VOC (Refresh 2013)



1. Identification of the material and supplier

<u>Names</u>		
Product name	Senscience Silk Finish 55% VOC (Refresh 2013)	
Distributor	: SABRE CORPORATION 75 South Creek Road Dee Why, NSW 2099 Australia Phone: 02-9982-0100	
Manufacturer	: Zotos International, INC 100 Tokeneke Road, Darien, CT 06820 www.zotos.com	
Emergency telephone number	: 131126	

2. Hazards identification

Statement of hazardous/dangerous nature

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. Additional information on toxicological endpoints is available from the supplier upon request

3. Composition/information on ingredients

ŝ

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First aid measures Inhalation : Move affected person to fresh air. : NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS Ingestion WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. Treat symptomatically. Never give anything by mouth to an unconscious person. Call a physician. Skin contact : Remove contaminated clothing and shoes. Wash with plenty of soap and water. In case of contact, immediately flush eyes with plenty of water for at least 15 Eye contact minutes. Seek medical attention if irritation persists. **Protection of first-aiders** ŝ Advice to doctor : None.

5. Fire-fighting measures

• •	
Extinguishing media	: Use dry chemical, CO ₂ , alcohol-resistant foam or water spray (fog).
Special exposure hazards	: Flammable liquid. Prevent the creation of flammable or explosive concentrations of vapors in air and avoid vapor concentrations higher than the occupational exposure limits.
Hazardous thermal decomposition products	: may be released including hydrofluoric and/or carbonyl halides
Special protective equipment for fire-fighters	: Immediately contact emergency personnel. Flammable material In case of insufficient ventilation, wear suitable respiratory equipment.

Senscience Silk Finish 55% VOC (Refresh 2013)					
6. Accidental relea	ise measures				
Personal precautions	: Flammable. Keep away from ignition sources such as heat/sparks/open flame No smoking. Do not get in eyes. Keep out of reach of children.				
Environmental precautions	: Leaking packages should be placed in open containers outdoors away from any source of ignition				
Methods for cleaning up	: Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Place spilled material in an appropriate container for disposal. After contact with skin, wash immediately with plenty of water.				
7. Handling and st	orage				
 Handling Keep away from ignition sources such as heat/sparks/open flame No smoking Use only in well-ventilated areas. Avoid contact with ignition and heat sources a oxidizers. Do not spray on an open flame or other ignition source. Keep out of of children. 					
Storage	: Avoid increased storage temperature. Keep away from ignition sources such as heat/sparks/open flame No smoking. Avoid contact with ignition and heat sources and oxidizers. Store away from oxidizing agents. Store in cool/well-ventilated place.				
8. Exposure controls/personal protection					
Occupational exposure limits	: No exposure standard allocated.				
Engineering measures	: In case of insufficient ventilation, wear suitable respiratory equipment.				
Hygiene measures	: When using do not eat, drink or smoke.				

	5
Eyes	1 · · · · · · · · · · · · · · · · · · ·
Hands	: · · · · · · · · · · · · · · · · · · ·
Respiratory	: Chemical splash goggles. Protective clothing must be worn.
Skin	1 · · · · · · · · · · · · · · · · · · ·

9. Physical and chemical properties

Physical state	: Liquid. [Viscous liquid.]
Color	: Colorless to light yellow.
Odor	: Characteristic. Fragrance-like.
Boiling point	: 78.333°C (173°F)
Relative density	: 0.81 to 0.85
Flash point	: Closed cup: 13°C (55.4°F)
рН	: 6 to 9
Aerosol product	
Type of aerosol	: Spray
Flame duration	Not available.

10. Stability and reactivity

Chemical stability	: Stable under recommended storage and handling conditions (see section 7).
Possibility of hazardous reactions	: Not available.
Conditions to avoid	: Store away from direct sunlight. Avoid contact with ignition and heat sources and oxidizers. Store away from oxidizing agents.
Materials to avoid	: Separate from oxidizing materials.
Hazardous decomposition products	: Products of combustion

11. Toxicological information

Potential acute health effect	<u>:s</u>			
Acute toxicity				
Conclusion/Summary	1	Not available.		
Potential chronic health effe	<u>ects</u>			
Chronic toxicity				
Conclusion/Summary	1	Not available.		

Senscience Silk Finish 55% VOC (Refresh 2013)

11. Toxicological information

Irritation/Corrosion	
Conclusion/Summary	: Not available.
<u>Sensitizer</u>	
Conclusion/Summary	: Not available.
Carcinogenicity	
Conclusion/Summary	: Not available.
Mutagenicity	
Conclusion/Summary	: Not available.
Teratogenicity	
Conclusion/Summary	: Not available.
Reproductive toxicity	
Conclusion/Summary	: Not available.
Target organs	 Contains material which may cause damage to the following organs: the nervous system, liver, upper respiratory tract, central nervous system (CNS).

12. Ecological information

THE FOLLOWING DATA IN THIS SECTION IS SOURCED FROM PUBLICLY AVAILABLE DATABASES AND NOT THE REPRESENTATION OF ANY DATA COLLECTED BY ZOTOS INTERNATIONAL OR ITS AFFILIATES.

Aquatic ecotoxicity

Conclusion/Summary	1	Not available.
Other ecological information		

Persistence/degradability

Conclusion/Summary : Not available.

13. Disposal considerations

Methods of disposal

: Dispose of according to all federal, state and local applicable regulations.

14. Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADG						
ADR	UN1950	AEROSOLS	2	-		Limited quantity LQ2 Special provisions 190 327 625 Tunnel code (D)
IMDG	UN1950	AEROSOLS	2.1	-		<u>Emergency schedules</u> (<u>EmS)</u> F-D, S-U
ΙΑΤΑ	UN1950	Aerosols, flammable	2.1	-	Y Y	Passenger and Cargo Aircraft Quantity limitation: 75 kg Packaging instructions: 203 Cargo Aircraft Only Quantity limitation: 150 kg Packaging instructions: 203 Limited Quantities - Passenger Aircraft Quantity limitation: 30 kg

Senscience Silk Finish 55% VOC (Refresh 2013)				
14. Transport information				
			Packaging instructions: Y203	
PG* : Pack	ing group	i		
15. Reg	gulatory information			

Standard for the Uniform Scheduling of Drugs and Poisons

Control of Scheduled Carcinogenic Substances

Australia inventory (AICS) : All ingredients that are not contained in the AICS database are below registration thresholds.

16. Other information

Date of issue

: 9/9/2013.

<u>Disclaimer</u>

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.